



## **ACCESS FOR ALL**

Supplementary Planning Document-Appendix 2

# **SUSTAINABILITY APPRAISAL SCOPING REPORT**

**(WORKING DRAFT)**

May 2005

# Contents

	Page Numbers
How to Comment on the Report .....	3
1.Sustainability Appraisal Background and Purpose – Introduction .....	4
1.1The Main Principles of the Local Development Framework and Legislative Background .....	4
2. Policy Context .....	4
3. Strategic Environmental Assessment (SEA) & Sustainability Appraisal (SA). .....	4
4. Reason for the Production of this Access for All SPD. ....	5
5. The Purposes this Access for All SPD will serve. ....	5
5.4 An Overall Summary of the Draft Access for All SPD Aims .....	6
6. Sustainability Appraisal Methodology .....	6
6.4 The SA Process stages followed in assessing the Access for All SPD .....	10
6.5 Analysis of Relevant Plans and Baseline Collection .....	10
6.8 Baseline Reasoning and Data .....	11
6.12 Planning Application Consultations & Enquiries Received .....	12
7. Next Steps .....	13
Appendix 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003. ....	14 -25
Appendix 2: Table Showing the level of Accessibility/inaccessibility to retail units in Harrow by wheelchair users and Table to show the accessibility to various types of randomly surveyed public facilities in Harrow .....	27- 34
Appendix 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment .....	35 -44

## How to Comment on the Report

Comments relating to this Sustainability Appraisal [SA] or the 'Access for All', Supplementary Planning Document [SPD] should be sent to:

Ali Kashmiri  
Access Officer  
Harrow Council (London)  
Planning Department  
PO Box 37  
Civic Centre  
Station Road  
Harrow HA1 2UY

Alternatively, comments can be sent by fax on 020 8424 1551.

The Council can accept comments by e-mail relating to this consultation. Please contact Ali Kashmiri on 020 8426 0811 or [ali.kashmiri@harrow.gov.uk](mailto:ali.kashmiri@harrow.gov.uk)

Comments from this informal consultation must be received by 4.30 pm on Wednesday 14<sup>th</sup> September 2005.

# **Sustainability Appraisal Background and Purpose**

## **1. Introduction**

### **1.1 The Main Principles of the Local Development Framework and Legislative Background**

The Local Development Scheme (LDS, brought into effect in June 2005, outlines the programme for preparing and reviewing Local Development Documents. The LDS includes the timetable for the production of this Access for All Supplementary Planning Document (SPD). SPDs provide additional guidance expanding upon policies in the Harrow Unitary Development Plan (HUDP).

## **2. Policy Context**

2.1 The 'Access for All' SPD is supplementary to the Harrow Unitary Development Plan [HUDP] and will form part of the Local Development Framework [LDF]. It has been produced in line with Harrow's vision as contained in the UDP under Section 2.17, to provide "A Borough that contains a range of local community, educational, social and health facilities which are more easily accessible by sustainable means" and to "provide good access to facilities and services for all". The SPD amplifies policies SR2, SC1, EP47, D4, D25, C7, C9, C16 and C17.

2.2 Some of the most relevant documents reviewed for the production of the 'Access for All' SPD and this SA Report are listed below:

1. The Strategic Environmental Assessment Directive: Guidance for Planning Authorities. ODPM, London, October 2003
2. Sustainability Appraisal of Regional Spatial Strategies and Local Development Frameworks: Consultation Paper, ODPM, September 2004
3. Sustainability Appraisal of Regional Spatial Strategies and Local Development Frameworks: Interim Advise Note on Frequently Asked Questions, ODPM, London, April 2005
4. The Disability Discrimination Act (DDA) 1995
5. Planning and Access for Disabled People: A Good Practice Guide from the Office of the Deputy Prime Minister
6. Part M to the Building Regulations: May 2004
7. British Standard 8300; 2001- Code of Practice
8. The London Plan (Spatial Development Strategy for Greater London), Mayor of London, February 2004.

## **3. Strategic Environmental Assessment (SEA) & Sustainability Appraisal (SA)**

3.1 All DPDs and SPDs will need to undergo Sustainability Appraisal (SA) as required under section 5 of the Planning and Compulsory Purchase Act 2004. SA is a systematic process carried out during plan production; its purpose is to assess the extent to which emerging policies, proposals and supplementary information will help to achieve relevant environmental, social and economic objectives i.e sustainable development. The Government's SA process has incorporated the 'Strategic Environmental Assessment

Directive' (SEA) requirements for plans and programmes that are likely to have a significant effect upon the environment under The European Directive 2001/42/EC within the Draft SA guidance<sup>1</sup>.

#### **4. Reason for the Production of the Access for All SPD**

4.1 Following the introduction of the Planning and Compulsory Purchase Act 2004 and the publication of a variety of detailed access documents require a new and more comprehensive SPD. This will replace the outdated Supplementary Planning Guidance, which was formally adopted by the Council in 1994. This SPD will be produced under the provisions of the Planning and Compulsory Purchase Act 2004, and regulations.

4.2 Work on the "Access for All" SPD started prior to the new planning system coming into force and was originally intended to be adopted as an SPG. The former draft SPG is now being developed to become an SPD. This will ensure that the Access for All SPD can be implemented beyond the three year period, in which any HUDP policies and SPGs can be saved.

4.3 Both the SPD and this SA are working documents as a consequence of the transitional arrangements of the SPD changing from its original SPG format. The objectives of the Access for All SPD will need to be re-written to reflect the development of the SPD in relation to this SA report.

4.4 The draft Access for All SPD will need to be amended to provide an explanation of its policy context and procedures under the LDF process.

#### **5. The Purposes the Access for All SPD will serve**

5.1 A key objective of the Access for All SPD is to demonstrate the links between the Council's planning process, government planning policy and guidance and service provider obligations under the Disability Discrimination Act 1995. 'Access for All' aims to broaden the scope of good design by positively encouraging partnership working between the Council, professionals involved in the development process and the diverse range of local businesses and industry. In order to create local environments that are logical in layout, safe and easy to navigate. The 'Access for All' SPD supports the fundamental principles of sustainable design. The guidance and requirements throughout the Access for All SPD actively promote the concept of inclusivity, to ensure access considerations form part of a development's overall design and not merely as bolt-on accessories.

5.2 Access for All presents requirements for design solutions that are far reaching and which complement current legislation. In relation to the advice most frequently sought from the Council. The 'Access for All' SPD will serve as a definitive guide. However, it is not intended that the 'Access for All' SPD will deliver comprehensive solutions for every type of building or service. Instead, its aim is to provide insight into a range of access issues, furnish its readers with transferable understanding of inclusive design principles and delivery of equitable services, whilst demonstrating that a good environment for disabled people is a great place for everyone. It is anticipated that the presentation of various scenarios within the Access for All SPD, in context to everyday community life, will in turn perpetuate improved understanding and acceptance of people's differing needs.

---

<sup>1</sup> Sustainability Appraisal of Regional Spatial Strategies and Local Development Frameworks: Consultation Paper, ODPM, September 2004

5.3 It is intended that Access for All will negate the negative attitudes commonly held against disability and will demonstrate to local people, the Council's firm commitment to providing access for everyone who lives, works, and participates in Harrow life.

#### **5.4 An Overall Summary of the Draft Access for All SPD Aims**


Acting mainly as a sign-posting, non-technical reference, the 'Access for All' SPD will:-

- serve primarily as planning guidance. However it will be relevant to all Council service areas that have responsibility for shaping and improving the built environment.
- seek to better integrate access considerations into the development process by firmly rooting the broad principles of inclusive design into the heart of Harrow's planning system.
- provide definitive advice in relation to planning applications, frequently asked questions and in situations where requests for straightforward technical advice is sought.
- adopt standards in-line with statutory requirements and legislation, introduce best practice standards and promote inclusive design.
- illustrate examples and provide guidance on how access can be incorporated into the intrinsic design of older buildings of special architectural or historic interest, whilst applying due sensitivity.
- ensure that within time, all buildings, facilities, services and information will be accessible to all local people.
- discourage design solutions that have a negative impact on the local environment.

### **6. Sustainability Appraisal Methodology**

6.1 The approach adopted to undertake the SA was based on the process set out in the Draft Government Guidance on SA of Regional Spatial Strategies and Local Development Frameworks (September 2004). Figure 1 below demonstrates the stage by stage flow of the SA process and Figure 2 outlines the requirements and tasks to be undertaken within each stage of the SA process.

**FIGURE 1: Flow Chart to Describe the SA Process Stage by Stage:**



6.2 At each stage of DPD or SPD production a sustainability appraisal will be carried out to inform the consultation process, assist in refining policies and proposals and support submitted DPDs during the examination stage. There are five stages within the SA process and currently this SA is in near completion of stage A (Refer to figure 1 above-pale yellow box) in becoming a scoping report for the Access for All SPD. The SA process will develop alongside the progression of the SPD. It should be recognised that informal consideration of sustainable development requirements has been given throughout the formulation of this SA, as have all aims included in the Access for All SPD. Figure 2 below also demonstrates the tasks involved in the SA process and how these link with the production of DPDs and SPDs.

6.3 The Council is producing an Overarching SA Report of the LDF, which is nearing completion. It identifies appropriate high-level objectives for appraising policies against, and examines 'baseline' conditions in the Borough as required by stage A of the SA process. This SA report is referred to as the SA Scoping Report in accordance with the ODPM draft SA guidance (September 2004) and has been designed to provide a foundation for the range of DPDs and SPDs that the Council intends to produce, but will if necessary be updated during the early stages of DPD or SPD production to ensure that the information and analysis it contains remain relevant. It will also be updated should any significant changes occur to the final ODPM SA guidance which is due to be published late July/August 2005.

**FIGURE 2: Sustainability Appraisal Process**

Generic SA Stages for Plan making	SA process linkages to the preparation of DPDs and SPDs	Stages and Tasks
<p><b>Stage A: Gathering information to produce an SA Scoping Report-</b></p>	<p>Prepared alongside the preparation of the evidence base for the relevant DPDs and SPDs.</p>	<p><b>A1-</b> Identifying other relevant plans, programmes &amp; sustainability objectives relevant to the LDF objectives to document how the plan is affected by outside factors and suggest ideas for how any constraints can be addressed.</p> <p><b>A2-</b> Collecting relevant economic, social and environmental baseline information to provide an evidence base for sustainability issues, effects prediction and monitoring.</p> <p><b>A3-</b> Identifying sustainability Issues To help focus the SA and streamline the subsequent stages, including baseline information analysis, setting of the SA Framework, prediction of effects and monitoring.</p> <p><b>A4-</b> Developing the SA Framework to provide a means by which the sustainability of the plan can be appraised.</p> <p><b>A5-</b> Testing the DPD/SPD objectives against the SA Framework - to ensure that the overall objectives of the plan are in accordance with sustainability principles and provide a suitable framework for developing options.</p> <p><b>A6-</b> Consulting on the scope of the SA- The ‘authorities’ identified by the UK Government in the SEA Directive as being likely to be concerned by the environmental effects of implementing DPDs/SPDs have to be consulted to ensure the SA covers the sustainability issues.</p> <p>The four consultation authorities with environmental responsibilities as set out in Regulation 9 as part of the SEA determination process are:</p> <ol style="list-style-type: none"> <li>1. The Environment Agency;</li> <li>2. The Countryside Agency;</li> <li>3. English Nature; and</li> <li>4. English Heritage.</li> </ol>
<p><b>Stage B: Identify issues and options and prepare for consultation</b></p>	<p>Prepared outside the preparation of issues and options.</p>	<p><b>B1-</b> Appraising issues and Options- To assist in the development and refinement of the options, by identifying potential sustainability effects of options for achieving the DPD/SPD objectives.</p> <p><b>B2-</b> Consulting on the SA of emerging options of</p>



		the DPD/SPD- To consult with the public and statutory bodies on the SA of emerging options to ensure the SA covers all the reasonable options and key sustainability issues
<b>Stage C-Appraising the effects of the draft DPD/SPD and SA report</b>	Prepared alongside the preparation of the preferred options. Consultation on both DPD/SPD and SA report will take place at the same time.	<b>C1-</b> Predicting the effects of the plan, including plan options- to predict the significant effects of the DPD/SPD and the DPD/SPD options. <b>C2-</b> Assessing the effects of the DPD/SPD- to assess the significance of the predicted effects of the DPD/SPD and its options and assist in the refinement of the DPD/SPD. <b>C3-</b> Propose measures to maximize beneficial effects and mitigate adverse effects. <b>C4-</b> Developing proposals for monitoring- To detail the means by which the sustainability performance of the plan can be assessed. <b>C5-</b> Preparing the SA Report- to provide a detailed account of the SA process, including the findings of the appraisal and how it influenced the development of the DPD/SPD, in a format suitable for public consultation and decision-makers.
<b>Stage D- Consultation on the DPD/SPD and Sustainability Appraisal Report</b>	Prepared alongside the preparation of the submission of DPD/SPD. Consultation on both will take place at the same time.	<b>D1-</b> Consulting on the SA Report alongside the DPD/SPD- To provide the public and statutory bodies with an effective opportunity to express their opinions on the SA. Report and to use it as a reference point in commenting on the plan. <b>D2 -</b> appraising significant changes- To ensure that any significant changes to the plan are assessed for their sustainability implications and influence the revision of the DPD/SPD. <b>D3 -</b> Decision making and providing information- to provide information on how the SA Report and consultees' opinions were taken into account in preparing the DPD/SPD. Submit DPD/SPD and SA Report to the Secretary of State.
<b>Stage E Monitoring the Implementation of the DPD/SPD</b>	The sustainability of the Core Strategy DPD / SPD Policies will be assessed as part of the Annual Monitoring Report.	<b>E1-</b> Monitoring the significant effects of the plan- To measure the sustainability performance of the plan in order to determine whether its effects are as anticipated, and thereby inform future revisions. <b>E2 -</b> Responding to adverse effects- to ensure that the adverse effects can be identified and appropriate responses/actions developed.

## **6.4 The SA Process stages followed in assessing the Access for All SPD**

This draft Access for All SA Scoping report has addressed stages A1- A5 of the SA process as outlined in Figure 2 above and now requires further work to ensure that the draft Access for All SPD is amended to provide an explanation of its policy context and procedures under the LDF process. The objectives of the Access for All SPD will need to be re-written to reflect the development of the content of the SPD and in relation to this SA report. On completing these amendments to the draft Access for All SPD, both the SPD and this draft SA report accompanying the Access for All SPD will be referred to the four consultation authorities with environmental responsibilities as stated in stage A6 of the SA process. See Figure 2 above.

## **6.5 Analysis of Relevant Plans and Baseline Collection**

Baseline data relating to local social, economic and environmental issues was collected as a way of devising a structure for the 'Access for All' SPD and to determine its content or scope in line with relevant government guidance, plans and programmes that were reviewed. The most important task in carrying out a SA of this Access for All SPD was to establish the likely significant effect of content of the Access for All SPD against social, economic and environmental factors, in accordance with the SEA Directive and the Planning and Compulsory Purchase Act 2004.

6.6 A review of European, national, regional and local policy and strategy plans was undertaken to identify appropriate social, environmental and economic objectives for the Access for All SPD. The documents reviewed are detailed in the Access for All Bibliography and in paragraph 2.2 of this report. These sustainability objectives reflect the overall content and actions proposed in the Access for All SPD. These sustainability objectives have been assessed against environmental factors as required by Annex 1 Article 5(1) of the SEA Directive, to identify the likely significant effects of the Access for All SPD on these environmental factors.

The environmental factors detailed in the SEA Directive Annex 1 Article 5(1) are as follows:

- biodiversity,
- population,
- human health,
- fauna,
- flora,
- soil,
- water,
- air,
- climatic factors,
- material assets,
- cultural heritage including architectural and archaeological heritage,
- landscape and

the interrelationship between the above factors. Social and Economic factors have also been considered through assessments of accessibility with regards to Harrow population statistics, health, access to a variety of public facilities in the Borough such as banks, shops, stations, colleges etc. See Appendix 2.

6.7 Appendix 3 details the sustainability objectives formulated based on the context of the Access for All SPD and the sustainability dimensions these objectives address i.e social, economic and/or environmental. It also demonstrates the proposed actions of the Access for All SPD and the likely impact of these actions on the environmental factors listed above in implementing the Access for All SPD, and whether they are likely to be short, medium or

long-term effects. A few indicators have also been devised to monitor the implementation of the Access for All SPD objectives.

### 6.8 Baseline Reasoning and Data

The population of the UK is predicted to grow by 7% over the next 30 years, however, the number of disabled people in the UK is expected to rise by 40% according to the Office for National Statistics.

6.9 From data analysis of the 2001 census, by year 2020 it is estimated that half of Harrow’s adult population will be aged over 50, with people over 80 being the most rapidly growing sector. With an ever-increasing aging population and the associated likelihood of higher numbers of people with restricted mobility, there is urgent need for design methods based on better understanding of age and disability related factors. The Council must therefore adopt guidance that sets clear parameters for the design of developments, as decisions taken now will affect Harrow in the decades beyond 2020.

**FIGURE 3: Population of Harrow with Limited Long Term Illness (LLTI) or Disability**

Age Range	Population of Harrow	People with LLTI or Disability	People likely to benefit from Inclusive Design
0-15 years of age	41678	1510	3.62 %
Females 16-59 Males 16-64	130207	13473	10.35 %
Females 60+ Males 65+	34839	17200	49.37 %
75+	14606	8673	59.38 %
All people	206715	30760	14.88 %

6.10 Whilst nearly 31,000 people currently have a long-term illness or disability research reveals that 61.4% of retail units in Harrow are inaccessible to wheelchair users (Appendix 2).

6.11 All new buildings in Harrow are required to comply with Part M to the Building Regulations 2000 (2004 edition) and are therefore accessible to disabled people. However, from research carried out, a high proportion of existing buildings remain inaccessible to disabled people, particularly wheelchair users.

### 6.12 Planning Application Consultations & Enquiries Received

In addition to reflecting statutory requirements, the guidance contained in ‘Access for All’ SPD is based on access observations provided as part of the formal planning application process between September 2001 and August 2003. The data collected between

September 2001 and August 2003 (from access observations provided in relation to planning applications, enquiries from local people, and site visits relating to concerns or complaints handled) was used during production of the Access for All SPD.

6.13 Appendix 1 details **planning applications** on which observations were made from an accessibility point of view. A range of sustainability issues have emerged from these. Based on the tabulated information it became evident that there was a need for clear guidance on accessibility and access in new development schemes. It is essential that these considerations are addressed at the initial stage of development to ensure compliance with the Disability Discrimination Act 1995 (DDA) and current best practice regulations, and to ensure that issues of sustainable development are addressed. These sustainability issues and or the issues least addressed by planning applicants have clearly influenced the content of the Access for All SPD.

6.14 It is the case that a significant proportion of existing buildings in Harrow (where services to the public are delivered) remain inaccessible to local people. Many of these buildings will require ramps or an alternative intervention to facilitate access, in order that service providers can fulfil their obligations under the DDA. Statistical information is detailed in Appendix 2. The tables demonstrate inaccessibility levels to local retail units in the main designated retail areas in Harrow.

6.15 Research carried out suggests **smaller retailers** are gaining little benefit from the spending power of disabled people. This suggests that disabled people are required to travel distances to larger more accessible retail outlets, shop out of borough, or perhaps be reliant upon assistance from others. A survey of 2043 shop frontages in Harrow's primary shopping centres was carried out to measure the impact that Planning Policy Guidance 6 (PPG6) and Planning Policy Statement 6 (PPS6) had had on improving the accessibility of such areas and particularly on the shop units themselves. The study confirmed that 61.4% of retail units in the Borough have stepped entrances and are therefore inaccessible to wheelchair users. See Appendix 2 for survey details.

6.16 A number of **privately owned car parks** within the Borough were assessed against the best practice guidance of British Standard 8300; 2001- Code of Practice (BS 8300). Although in the majority of cases the dimensions of the car parking bays exceeded best practice guidelines, the side transfer bay had either been omitted or incorrectly designed. Guidance should be provided to ensure that new car parking bays are designed in accordance with BS 8300. See Appendix 2.

6.17 From a randomly selected list, 10 locally **listed buildings** were visited to ascertain the amount of accessibility for the public. The London Borough of Harrow has over 1300 entries on locally and statutory listed buildings. Selections of buildings in different wards were picked for our observation. The findings are presented in Appendix 2. Of the 10 buildings of special architectural interest, only 2 catered for the needs of wheelchair users. See Appendices 1 and 2.

6.18 Harrow Council has an on-going programme of improvement work for **schools** in the Borough and therefore an assessment of these areas was not completed. However, Harrow's 3 establishments of further education were assessed for accessibility purposes and a number of deficiencies were identified as detailed in Appendix 2.

6.19 8 **randomly selected bars and restaurants** across the Borough were assessed for access to the premises and facilities. As expected the more established chains provided better access facilities, however there is a need for clear guidance to make all premises and facilities accessible. Premises requiring customer toilet facilities under Licensing or

Environmental Health regulations should incorporate at least one facility that is accessible to all customers. Guidance will be provided within the Access for All SPD to this effect as it develops. Although each individual facilities situation will be assessed on its own merits, the feasibility study carried out as part of this work indicates that premises with a floor area greater than 65m<sup>2</sup> can accommodate an accessible provision designed in accordance with BS 8300, 'unisex accessible corner WC' layout, without causing undue detriment to the business. It is therefore intended that the Access for All SPD will undergo refinement to require premises with a floor area greater than 65m<sup>2</sup> to have at least one accessible WC facility.

6.20 A study was conducted of guest accommodation in 13 **hotels** to assess compliance with BS 8300. Only 4 out of the 10 hotels visited were accessible and had facilities for wheelchair users. A number of establishments claimed to have access and facilities, however upon inspection these were found to be lacking.

## **7. Next Steps**

The next stages in the SA process will be completed alongside the development of the Access for All SPD and responses received to this SA Scoping Report will taken into consideration. As mentioned earlier, the objectives of the Access for All SPD will need to be re-written to reflect the development of the SPD in relation to this SA report. The draft Access for All SPD will also need to be amended to provide an explanation of its policy context and procedures under the LDF process.

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																				
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility	
Brief Description	Application No.																					
Tables & Chairs on Highway	P/4/03/CFU	✓		✓																✓		
A1 to A3	P/353/03/CFU	✓						✓	✓	✓		✓				✓	✓			✓	✓	
New Shop Front	P/90/03/DFU	✓						✓								✓	✓			✓	✓	
Residential to Dental Surgery	P/341/03/CFU	✓								✓		✓				✓	✓					
Takeaway and Restaurant	P/285/03/CFU	✓						✓	✓	✓		✓				✓	✓			✓	✓	
Place of Worship	P/494/03/CFU	✓	✓		✓	✓	✓	✓	✓	✓		✓				✓	✓					
Teaching Accommodation	P/785/03/CFU	✓	✓		✓	✓			✓	✓		✓			✓	✓	✓					✓
A1 to A3	P/1196/03/CFU	✓						✓	✓							✓	✓				✓	
Tables & Chairs on Highway	P/1207/03/CFU	✓		✓																✓		

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																		
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities
Brief Description	Application No.																			
Shopfront	P/1356/03/DFU	✓			✓	✓	✓	✓	✓						✓	✓			✓	
Place of Worship	P/1362/03/CVA	✓	✓				✓	✓			✓			✓	✓	✓		✓		
A1to A3	P/1443/03/CFU	✓	✓				✓	✓			✓			✓	✓	✓		✓		
6 Bed Recovery Room	P/2106/03/CFU	✓	✓		✓			✓			✓			✓	✓	✓				
Shopfront	E/20/02/FUL	✓					✓	✓	✓		✓				✓	✓			✓	
A2-A3	E/44/02/FUL	✓					✓	✓			✓				✓	✓		✓	✓	
Sports Centre	E/90/02/FUL	✓	✓		✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓		
Church & Community Hall	E/117/02/OUT	✓	✓		✓	✓	✓	✓	✓	✓	✓				✓	✓				✓
A1to A3	E/293/02/FUL	✓					✓				✓				✓	✓		✓	✓	

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																				
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility	
Brief Description	Application No.																					
New Shopfront	E/345/02/FUL	✓	✓	✓	✓			✓				✓			✓	✓	✓					
Table + Chairs on Forecourt	E/775/02/FUL	✓		✓																		✓
ATM Surround Sign	E/815/02/ADV	✓																				✓
ATM Surround Sign	E/816/02/ADV	✓																				✓
A1-A3	E/834/02/FUL	✓						✓				✓				✓	✓		✓	✓		
Alterations to Former Garage for Aromatherapy	E/836/01/CLP	✓			✓			✓														
Provision of Mezzanine Floor	E/890/01/LBC	✓																				
Shopfront	E/895/02/FUL							✓	✓	✓		✓				✓	✓	✓	✓	✓		
A1-D1	E/897/02/FUL	✓						✓	✓			✓			✓	✓	✓		✓			



**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																		
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities
Brief Description	Application No.																			
A1-A3	E/958/01/FUL	✓					✓	✓			✓				✓	✓		✓	✓	✓
Automatic Teller Machine	E/960/02/FUL	✓																		
Automatic Teller Machine	E/962/02/FUL	✓																		
Class A1 (Retail) to A3 (Restaurant) & Shopfront	E/990/01/FUL	✓			✓		✓	✓			✓				✓	✓		✓	✓	
D1 + Shopfront	E/1071/01/FUL	✓					✓													
Shopfront	E/1072/01/FUL	✓					✓	✓	✓			✓			✓	✓		✓	✓	
Shopfront	E/1074/01/FUL	✓	✓				✓	✓			✓				✓	✓			✓	
A1-A3	E/1095/01/FUL	✓					✓	✓			✓				✓	✓		✓	✓	
Retail to Mixed Use ( Hot Food)	E/1108/01/FUL	✓					✓								✓		✓	✓		

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																			
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility
Brief Description	Application No.																				
Doctor's Surgery	E/1129/01/FUL	✓	✓		✓	✓		✓	✓	✓		✓			✓	✓	✓		✓		
Shopfront Shutter Box	E/1135/01/FUL	✓						✓													
Additional Entrance	E/1139/01/FUL	✓						✓													
A1-B1	E/1154/01/FUL	✓						✓	✓	✓		✓				✓	✓			✓	
Retail to Restaurant	E/1171/01/FUL	✓							✓			✓				✓	✓		✓	✓	
Over Basement Car Park to Provide 14 Flats	E/1190/02/FUL	✓	✓		✓			✓	✓	✓		✓			✓	✓			✓	✓	
A1-A3	E/1212/01/FUL	✓						✓	✓			✓				✓	✓		✓	✓	
A1-A3	E/1227/01/FUL	✓						✓	✓			✓				✓	✓		✓	✓	
Extensions to Provide Lift +Stairs	E/1260/01/FUL	✓	✓		✓	✓		✓	✓	✓		✓			✓	✓			✓		

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																		
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities
Brief Description	Application No.																			
Premier House 2 <sup>nd</sup> Floor	E/1267/02/LA3	✓	✓				✓	✓	✓		✓				✓	✓		✓	✓	
Extensions + Change of Use	E/1273/01/FUL	✓					✓	✓			✓				✓	✓		✓	✓	
Place of Worship	E/1286/02/FUL	✓	✓		✓		✓		✓		✓				✓	✓		✓		✓
A1-A3	E/1297/02/FUL	✓					✓	✓			✓				✓	✓		✓	✓	
A2-A3	E/1323/01/FUL	✓					✓									✓		✓	✓	
Place of Worship	E/1341/01/FUL	✓	✓				✓	✓	✓		✓			✓	✓	✓		✓		
Shopfront	E/1349/01/FUL	✓					✓	✓			✓				✓	✓			✓	✓
Tesco	E/1356/01/FUL	✓									✓			✓		✓				✓
Advertisement Panel	E//1380/02/ADV	✓		✓																

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																			
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility
Brief Description	Application No.																				
Advertisement Panel	E/1383/02/ADV	✓		✓																	
Double Sided Advertisement Panel	E/1398/02/ADV	✓		✓																	
A1-A3	E/1407/02/FUL	✓						✓	✓	✓					✓	✓			✓	✓	
Medical Centre (class D1) to Nursing Home (class D2)	E/1452/02/FUL	✓	✓				✓	✓	✓		✓										
ATM Machine	W/851/02/FUL	✓																			
Shopfront	W/850/02/FUL	✓					✓														
A1-A3	W/790/02/FUL	✓					✓	✓			✓				✓	✓			✓	✓	
Retail to Restaurant	W/774/02/FUL	✓		✓			✓	✓			✓			✓	✓	✓			✓	✓	
A1- Counselling Service	W/764/01/FUL	✓	✓		✓	✓	✓	✓			✓										

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																		
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities
Brief Description	Application No.																			
New Shopfront	W/731/02/FUL	✓					✓	✓			✓			✓	✓			✓		
A1-A3	W/729/01/FUL	✓					✓	✓			✓							✓		
A1-A3	W/720/01/FUL	✓					✓							✓	✓			✓	✓	
A1-A3	W/598/02/FUL	✓	✓				✓				✓				✓	✓		✓	✓	
A1-A3	W/597/02/FUL	✓					✓	✓			✓				✓	✓		✓	✓	
Pedestrian Ramp to Entrance	W/540/02/FUL	✓				✓														
Ground floor to A2	W/411/02/FUL	✓					✓	✓			✓				✓	✓			✓	
Retail to Restaurant A1-A3	W/378/02/FUL	✓					✓	✓			✓				✓	✓		✓	✓	
Extension	W/310/02/FUL	✓																		

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																			
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility
Brief Description	Application No.																				
1 <sup>st</sup> Floor Extension	W/273/01/FUL	✓	✓		✓	✓		✓	✓	✓		✓				✓	✓			✓	
Shopfront	W/1017/01/FUL	✓						✓													
Extension of the main hall to School	W/75/02/FUL	✓						✓													
Dominic's 6 <sup>th</sup> Form College	W/72/01/FUL	✓						✓	✓			✓				✓					
Pavilion with Function Room, Members Bar	W/33/O2/FUL	✓			✓	✓		✓				✓			✓	✓	✓		✓		
Kingsley High School	E/1583/02/FUL	✓	✓		✓	✓		✓	✓	✓		✓			✓	✓	✓	✓			✓
Woodlands + Little Stanmore Schools	E/1582/02/FUL	✓	✓		✓	✓		✓	✓	✓		✓			✓	✓	✓	✓			✓
Shopfront	W/1160/02/FUL	✓			✓	✓		✓				✓			✓	✓	✓		✓	✓	
Shopfront	E/1415/02/FUL	✓						✓													

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																			
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility
Brief Description	Application No.																				
Sports Pavilion	W/872/02/FUL	✓	✓		✓	✓		✓				✓			✓	✓	✓				
A2-A3	E/1323/01/FUL	✓						✓									✓		✓	✓	
Hath End High School	W/1269/02/FUL	✓	✓		✓	✓		✓	✓												
New Shopfront	W/1239/02/FUL	✓						✓								✓				✓	
Shopfront	W/1177/02/FUL	✓						✓				✓				✓	✓		✓	✓	
Free Standing Advertisement Panel	W/1141/02/ADV	✓			✓																
B1-D1	W/1121/01/FUL	✓						✓				✓			✓						
Dental Practise	W/1112/02/FUL	✓	✓		✓			✓	✓			✓			✓	✓			✓		
A1-A3	W /1029-02 FUL	✓						✓	✓			✓			✓	✓	✓		✓	✓	

**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																			
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility
Brief Description	Application No.																				
A1-A3	W/1020/02/FUL	✓						✓	✓			✓				✓	✓		✓	✓	
Shopfront	W/999/01/FUL	✓								✓		✓				✓	✓		✓	✓	
Shopfront	W/987/01/FUL	✓						✓												✓	
Engineering Works to Children's Nursery	W/979/01/FUL	✓	✓		✓			✓	✓			✓				✓	✓			✓	
Advertisement Consent	W/970/01/ADV	✓		✓																	
St Dominic's 6 <sup>th</sup> form College	W/964/02/FUL	✓	✓	✓				✓		✓		✓				✓	✓		✓		✓
St Dominic's 6 <sup>th</sup> form College	W/963/02/FUL	✓			✓					✓											
A1-A2	W/960/02/FUL	✓						✓													
A1-A3	W/936/02/FUL	✓						✓							✓	✓	✓		✓	✓	



**APPENDIX 1: Table to show Planning Applications to which Access Comments were provided between September 2001 to August 2003**

		Related Requirement or Informative																			
		DDA Obligations	Parking	Street Furniture & Open Spaces	External Access to Buildings	Ramps	External Steps	Entrances to Buildings	Horizontal Circulation	Vertical Circulation	Signage	Accessible Toilet Provision	Access for Staff	Entertainment & Hospitality	Reception & Service Counters	Means of Escape	Customer Care (inc. Signage & Lighting)	Changing Facilities	Customer Seating	Payment Facilities	Access to Unique Facility
Brief Description	Application No.																				
Restaurant	W/936/01/CLE	✓																			
A1-A3	W 914 /02 FUL	✓					✓							✓	✓	✓		✓	✓		



**APPENDIX 2: Table Showing the level of Accessibility/inaccessibility to retail units in Harrow by wheelchair users**

Establishment	Area or Ward	Accessible	Inaccessible	Assessment Analysis	Implications for the Access for All SPD objectives
<b>2,043 Shop Frontages Assessed for Level or Suitably Ramped Access (in main designated retail areas)</b>					
	Sudbury Hill	10	23	Results from surveying 2,043 shop units across the borough, indicate that 61.4% of retail outlets are inaccessible to wheelchair users.	Ensure requirements to improve access for wheelchair users into retail outlets and particularly into small shop units.
	Kenton	38	56		
	Queensbury	24	33		
	Edgware	31	57		
	Burnt Oak	24	35		
	Stanmore	37	51		
	Belmont	26	84		
	Harrow Weald	17	68		
	Wealdstone	60	172		
	Harrow Town Centre	215	377		
	Hatch End	46	31		
	Pinner	74	97		
	North Harrow	46	53		
	Rayners Lane	51	25		

APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow  Establishment	Ward	Accessible	Assessment Analysis	Action for SPD
<b>10 Listed Buildings assessed for access and facilities</b>				
Rat & Parrot	Greenhill	✓	Has low levels for disabled access and seating is provided outside. Toilets are provided for disabled customers	No action
Nat West Bank	Greenhill	✓	Undergoing construction to provide ramp access.	Demonstrate adaptation need not harm significant features of a building of special architectural or historic interest.
St John's Church	Greenhill		Has no access and would not be suitable for wheelchair users. Use of a temporary ramp seems to be in existence	Provide guidance to encourage access improvements that allow disabled people to partake in religious services and practices.
Gold's Gym	Greenhill		Has no facilities for wheelchair users, the doors are not user friendly, there is no doorbell to ring for assistance.	Provide guidance on achieving inclusive fitness facilities, together with positive images.
Wealdstone Baptist Church	Harrow Wealdstone		No facilities exist for disabled people. The church is set over a metre from ground level with steps leading into the church. Particularly inaccessible to wheelchair users.	Provide guidance to encourage access improvements that allow disabled people to partake in religious services and practices.
Wealdstone Methodist Church	Harrow Wealdstone		No adequate parking space or access ramp into the church.	
Stanmore Station	Stanmore		No wheelchair access. Steps are the only means of reaching the station; no lifts exist.	No action for the SPD. The Council has no direct control.
Bernay's Memorial Institution	Stanmore	✓	Has ramped access (specification not checked). Car parking is restricted.	No action

<b>APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow</b>				
<b>Establishment</b>	<b>Ward</b>	<b>Accessible</b>	<b>Assessment Analysis</b>	<b>Action for SPD</b>
Headstone Station	Harrow-on-the Hill		Inaccessible to wheelchair users as there is no lift access.	No action for the SPD. The Council has no direct control.
Etonian Hotel	Harrow-on-the Hill		Does not have amenities for disabled guests.	Provide guidance on overnight accommodation.
<b>3 Education facilities assessed for access</b>				
Stanmore College	Stanmore	✓	Has 4 designated accessible car parking spaces.	Provide physical access guidance relevant to educational establishments. Provide insight into the social and economic value of providing equal access to all facilities.
Harrow College	Stanmore	✓	Designated accessible car parking spaces within close range of the reception area.	
St Dominic's College	Harrow-on-the-Hill		No accessible parking. Level flooring throughout which facilitates the movement of wheelchair users. There are 3 accessible toilets within the college, with one on the basement level; accessed via a ramp. Measurements identified that it is below standard.	
<b>11 Service providers with privately owned car parks assessed for compliance BS 8300<sup>2</sup></b>				
Netto	South Harrow		There are 4 accessible parking bays; all four are within easy reach of the store. Bays are not in accordance with BS 8300.	Provide detailed guidance on the design and location of accessible parking bays to ensure that best practice
Harrow College	Stanmore	✓	Designated accessible car parking bays are sited within close range of the reception area.	

<sup>2</sup> Access for All SPD contains guidance on relevant requirements

APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow  Establishment	Ward	Accessible	Assessment Analysis	Action for SPD
Tesco	Greenhill	✓	Has 20 designated accessible parking spaces within 50 metres of the store. The parking bays are not in line with the criteria BS 8300 as the shared transfer area is only 890mm.	standards are promoted and that borough-wide consistency is achieved.
Sainsbury	Stanmore	✓	13 accessible car parking bays within 10m of the shop, at 4830mm x 2300mm with a side of transfer area (where provided) of 1300mm.	
Lidl	Stanmore	✓	Has 4 accessible car parking bays with dimensions exceeding the criteria of BS 8300.	Provide detailed guidance on the design and location of accessible parking bays to ensure that best practice standards are promoted and that borough-wide consistency is achieved.
Stanmore Sixth Form	Stanmore	✓	Has 4 designated accessible car parking bays.	
Cumberland Hotel	Greenhill		No designated accessible parking.	
Waitrose	Harrow Wealdstone	✓	Accessible parking bays fall outside BS 8300 design guidance. Parking spaces are within 50m of the shop entrance.	
South Harrow Complex	South Harrow	✓	Has 17 accessible parking spaces, all of which are compliant with the guidance of BS 8300.	
McDonalds restaurant	South Harrow		Accessible car parking bays fall short of BS 8300 design guidance.	
Bar limited: banqueting suite	South Harrow		No designated accessible parking.	

APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow  Establishment	Ward	Accessible	Assessment Analysis	Action for SPD
<b>8 Bars and Restaurants accessed for access and facilities</b>				
Nando's	Greenhill	✓	Good access via internal ramp. There is also an accessible toilet facility, which doubles-up as a baby changing room. At 2190mm by 1420mm, the cubicle dimensions fall below current best practice standards. Has internal floor area of 139m <sup>2</sup>	Provide guidance on creating good access to bars and restaurants, including delivery of accessible services in context to catering and hospitality. Include requirements for ensuring that outdoor tables and chairs do not hinder the movement of disabled people, nor compromise the safety of blind or partially sighted people.
Burger Bar	Stanmore	✓	A temporary ramp for wheelchair users is available. An accessible toilet, in keeping with the guidance of BS 8300, is available. Has internal floor area of 93m <sup>2</sup>	
The Man in the Moon Pub	Stanmore		Access for wheelchair users is difficult and at times practically unviable. Accessible toilet locked and key was unobtainable. Has internal floor area of 279m <sup>2</sup>	
Bar Limited	South Harrow		Has no accessible parking or toilet facilities.	Provide guidance on creating good access to bars and restaurants, including delivery of accessible services in context to catering and hospitality. Include requirements for ensuring that outdoor tables and chairs do not hinder the movement of
Lobsters Fish bar	South Harrow		Has level access into the shop, but does not have accessible customer toilets. Has internal floor area of 74m <sup>2</sup>	
Rat and Parrot	Greenhill	✓	General access provisions have been made. Seating is provided outside and concern is raised for the safety of people with visual impairments. An accessible toilet has been provided. Has internal floor area of 242m <sup>2</sup>	
McDonalds Restaurant	Greenhill		Has designated car parking spaces but no side transfer area. Accessible toilet facility meets the specification of BS 8300. Has internal floor area of 407m <sup>2</sup>	

APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow  Establishment	Ward	Accessible	Assessment Analysis	Action for SPD
Lontosa	Greenhill		No accessible facilities. Has internal floor area of 84m <sup>2</sup>	disabled people, nor compromise the safety of blind and partially sighted people.
Belmont Sandwich Bar	Belmont		Stepped entrance. Internal floor area of 65m <sup>2</sup> . Accessible WC.	
<b>13 Hotel and Bed &amp; Breakfast Accommodation assessed for accessibility and bedrooms designed to BS 8300</b>				
Old Etonian Hotel	Harrow-on-the-Hill		Not accessible to wheelchair users.	Ensure all new overnight accommodation meets the minimum requirements of BS 8300 and in any case is fitted out to the highest standard to allow 'home from home' independence by wheelchair users.
Madonna Halley's Hotel	Canons		No suitable access for wheelchair users; no access ramp to rooms and en-suite bathroom measures L=1.79 and W=1.56.	
Lyndon Hotel	Greenhill		No wheelchair access at the front of the house. No rooms that were wheelchair accessible	
Lindal Hotel	Greenhill		No wheelchair access at the front of the house. No rooms that were wheelchair accessible.	
Crescent Hotel	Greenhill		Not accessible to wheelchair users.	
Comfort Inn	Greenhill		The room allocated to wheelchair users is small, with limited manoeuvring space and the bathroom is small.	



APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow  Establishment	Ward	Accessible	Assessment Analysis	Action for SPD
Grimsdyke Hotel	Harrow weald	✓	Rooms allocated to wheelchair users were sited in a separate annexe within close proximity to the main hotel. Access into the room was easy. The room was large, with level access into the ensuite bathroom (3.6m by 2.2m). The entire bathroom is a 'wet floor area' and has a pull-down seat for ambulant disabled people. A good example of how hotels should meet BS 8300.	minimum requirements of BS 8300, and in any case is fitted out to the highest of standard to allow 'home from home' independence by wheelchair users.
Premier Travel Inn	Kenton	✓	Accessible parking exists and access to the reception area is level. Access to the rooms is by ramp. The rooms are adequately sized with good space for wheelchair manoeuvring. Level access to en-suite bathroom is provided and there is adequate space for the manoeuvring of a wheelchair.	Ensure all new overnight accommodation meets the minimum requirements of BS 8300, and in any case is fitted out to the highest of standard to allow 'home from home' independence by wheelchair users.
Amay House	Greenhill		No wheelchair access exists.	
Hindes House	Greenhill		No wheelchair access exists.	
Kings guest house	Greenhill		No wheelchair access exists.	
Euro Hotel	North Harrow		No wheelchair access exists.	
Cumberland Hotel	Greenhill		No wheelchair access exists.	
Premier Travel Inn	Edgware	✓	Accessible parking exists and access to the reception area is level. Access to rooms is by ramp. The rooms are adequately sized with good space for wheelchair manoeuvring. Level access to en-suite bathroom is provided and there is adequate space for the manoeuvring of a wheelchair.	Ensure all new overnight accommodation meets the minimum requirements of BS 8300, and in any case is fitted out to the highest of standard to allow 'home from home' independence by wheelchair

<b>APPENDIX 2: Table to show the accessibility to various types of randomly surveyed public facilities in Harrow</b>  <b>Establishment</b>	<b>Ward</b>	<b>Accessible</b>	<b>Assessment Analysis</b>	<b>Action for SPD</b>
Kenton hotel			No accessible parking facility. No ramp access leading to the hotel reception.	users.

Sustainability Objectives of the content of the Access for All SPD			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										The following indicators will be used to monitor the implementation of the Access for All SPD Objectives		
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Flora & Fauna	Biodiversity, Human Health	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
To ensure inclusively designed buildings and environments result from development			Presents within the Foreward, Introduction and specific section on Inclusive Design, a clear and positive message to professionals involved in the development process of the Council's firm intention to ensure access is better integrated										Increased number of buildings and environments designed in accordance with Urban Design principles with accessible features not permitted as compromised afterthoughts.		
+	+	+	✓	✓	+	+							+	+	
To promote healthy living through provision of accessible health and fitness facilities			Presents within Leisure and Entertainment and specifically within Keeping Fit and Gyms, Swimming and Leisure Pools, access solutions for facilitating access to health and sporting facilities										Provision of at least one facility in Harrow which is designed, equipped and approved as an inclusive fitness facility		
+	+		✓	✓		+								+	

Sustainability Objectives of the content of the Access for All SPD			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>											The following indicators will be used to monitor the implementation of the Access for All SPD Objectives
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Flora & Fauna Biodiversity,	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
To provide a range of recreational and leisure facilities that are accessible to everyone			Provides specific guidance in Eating and Drinking Areas, Leisure and Entertainment,, Places of Worship, Buildings of Special Architectural or Historic Interest, and Education and Learning Establishments, in relation to a range of facilities where deficiencies have been identified											Accessible health and fitness facilities in Harrow
+	+	+	✓	✓	✓		+					+	+	
To promote social inclusion of disabled people			Inclusive design detailed in every section of the document, applied in the context of everyday life. Promotion of social inclusion is addressed in Communicating and Assessing Services.											Increased number of disabled people active in community life
+	+	+	✓	✓	✓		+					+	+	+

<p>Sustainability Objectives of the content of the Access for All SPD</p>			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										<p>The following indicators will be used to monitor the implementation of the Access for All SPD Objectives</p>	
														<p>Social</p>
<p>To ensure that access provisions for existing buildings are remedied</p>			<p>Presents, within Alterations or 'Change of Use' Planning Applications, possible solutions and some requirement for improving access into and around existing buildings</p>										<p>Increased number of older buildings that are accessible</p>	
+	+		✓	✓	✓		+					+	+	+

<p>Sustainability Objectives of the content of the Access for All SPD</p>			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										<p>The following indicators will be used to monitor the implementation of the Access for All SPD Objectives</p>	
														<p>Social</p>
<p>To broaden the scope of good design through partnership working between the Council, local businesses, industry, and professionals involved in the development process</p>			<p>Invitation, within the Introduction, of partnership working between Council and planning applicants to achieve, acceptable access solutions, through early consultation with Development Control</p>										<p>Achievement of a more managed and aesthetically pleasing environment. More services accessible to disabled people</p>	
+	+	+	✓	✓	✓		+					+	+	+

Sustainability Objectives of the content of the Access for All SPD			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>											The following indicators will be used to monitor the implementation of the Access for All SPD Objectives	
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Flora & Fauna	Biodiversity, Human Health	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
To streamline procedures for incorporating access considerations into the development process			Introduces and places an obligation on planning applicants to submit access statements											All relevant planning applications received with an accompanying access statement	
+	+	+	✓				+					+	+	+	
To raise the profile of local need and ensure inclusive local services			Provides information on Leisure and Entertainment, Small Retail Units and within Leisure and Entertainment, on achieving inclusive and accessible services and addresses issues of disability etiquette											More services accessible to disabled people	
+	+	+	✓	✓	✓		+					+	+	+	

Sustainability Objectives of the content of the Access for All SPD			APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.										The following indicators will be used to monitor the implementation of the Access for All SPD Objectives	
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Flora & Fauna Biodiversity,	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
To widen educational and skill-learning opportunities			It raises the issue by promoting the importance of inclusive education and life-long learning within Education and Learning Establishments										Increased take-up of further education by disabled people	
+	+			✓	✓		+							
To promote accessible design that is consistent and beyond minimum standards			Exemplary standards recommended throughout the document, in-line with BS 8300										Developments that do not compromise the aesthetics of the environment	



<p>Sustainability Objectives of the content of the Access for All SPD</p>			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										<p>The following indicators will be used to monitor the implementation of the Access for All SPD Objectives</p>	
		Environmental	Short Term	Medium Term	Long Term	Biodiversity, Flora & Fauna	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
		+	✓	✓	✓		+				+	+	+	
<p>To provide a link between the Council's planning process and service provider's DDA obligations</p>			<p>Empowers planning applicants to achieve high standard access solutions by providing practical solutions to access issues, throughout the document</p>										<p>All relevant planning applications demonstrating integrated access provisions. Fewer developments requiring retrospective alterations to complement the DDA. Details of BS 8300 and Part M to the Building Regulations included on submitted plans and within Access Statements</p>	
		+	✓	✓	✓		+				+	+	+	

<p>Sustainability Objectives of the content of the Access for All SPD</p>			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										<p>The following indicators will be used to monitor the implementation of the Access for All SPD Objectives</p>			
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Flora & Fauna	Biodiversity,	Human Health	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology		Landscape & Townscape	Material Assets
<p>To improve the quality of life for local people and reduce the strain on public health services</p>			<p>Provision within Leisure and Entertainment to create a community in which everyone can remain active</p>										<p>Reduction in the take-up of health related services for illness relating to inactivity</p>			
+	+				✓		+									

Sustainability Objectives of the content of the Access for All SPD			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										The following indicators will be used to monitor the implementation of the Access for All SPD Objectives	
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Biodiversity, Flora & Fauna	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
To encourage local spending by improving accessibility			Provides within Change of Use Planning Applications, Accommodation, Leisure and Entertainment, design solutions to create access into Harrow's small retail units. Requires access solutions as part of the planning process. It is considered that a more accessible environment may create increased traffic volume. However, it is considered that any likely impact on the environment will be minor and in any case will be outweighed by the social and economic benefits										Reduction in the number of inaccessible small retail units throughout the Borough	
+	+	+/-		✓	✓		+		-			+		

Sustainability Objectives of the content of the Access for All SPD			<p><b>APPENDIX 3: Table to tests the proposed actions of the Access for All SPD against the SEA criteria to assess the likely impact of these actions on the environment</b></p> <p>The likely significant effects of the Access for All SPD actions/objectives on the environmental factors outlined in the SEA Directive Annex 1 in implementing the Access for All SPD. The table also shows the likely duration of these effects.</p>										The following indicators will be used to monitor the implementation of the Access for All SPD Objectives	
Social	Economic	Environmental	Short Term	Medium Term	Long Term	Biodiversity, Flora & Fauna	Population & Human Health	Water and Soil	Air Quality	Climatic Factors	Cultural Heritage & Archaeology	Landscape & Townscape	Material Assets	
To improve access to historic and contained services and facilities			<p>Empowerment of planning applicants to initiate acceptable access solutions within Buildings of Special Architectural or Historic Interest. Provides practical solutions to access issues, easy to obtain information and advice on access. Associated costs of adapting historic buildings can be mitigated through the increased social inclusion of disabled people</p>										Reduction in the number of inaccessible buildings of special architectural or historic interest	
+	+/-	+		✓	✓		+				+		+	