

Appendix 2 – Harrow Health and Wellbeing Board health and wellbeing snapshot

*No data, value suppressed for disclosure control due to small count

** England and Wales

*** PHE report significant concerns, in terms of data quality, with this indicator

		Indicator	England	London	Harrow	Worst performing ward	Best performing ward
Overall health indicators	1.	Life expectancy at birth (male)	79.4	80.0	82.4	Wealdstone (77.8)	Headstone North (86.0)
	2.	Life expectancy at birth (female)	83.1	84.1	85.9	Wealdstone (81.7)	Pinner South (91.2)
	3.	Healthy life expectancy at birth (male)	63.3	63.4	65.3	-	-
	4.	Healthy life expectancy at birth (female)	63.9	63.8	68.1	-	-
	5.	Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (male)	19.2	-	-	-	-
	6.	Slope index of inequality in healthy life expectancy at birth based on national deprivation deciles within England (female)	19.5	-	-	-	-
Start well							
	7.	Infant mortality	4.0	3.8	5.0	-	-
	8.	Children in poverty (all dependent children under 20)	18.6	23.5	17.0	Wealdstone (42.0)	Pinner South (9.3)
	9.	School readiness: at end of reception for children with free school meal status	44.8	52.3	47.9	-	-
	10.	First time entrants to the youth justice system	409	426	346	-	-
	11.	Tooth decay in children aged 5	0.94	1.23	1.36	-	-
	12.	Childhood overweight/obesity at year y6	33.5	37.6	36.7	Kenton East (39.2)	Pinner (30.6)
	13.	Children in care who gained 5 GCSEs at A*-C incl. English and Maths	12.0	15.0	*	-	-
	14.	Emotional wellbeing of children looked after	13.9	13.4	14.1	-	-

	15.	(Maternal mental health) Perinatal mental health: Estimated number of women requiring support during pregnancy or postnatal period***	-	-	424	-	-
	16.	Emergency admissions for children with lower respiratory tract infections	399.6	249.7	286.4	-	-
	17.	A&E attendances (for accidental/non accidental injury) among 0-4 years	525.6	675.3	768.9	Kenton East (788.0)	Headstone North (465.9)
Live well							
	18.	Mortality rate from causes considered to be preventable (persons)	182.7	169.5	134.2	-	-
	19.	Excess under 75 mortality rate in adults with serious mental illness	347.2	-	258.5	-	-
	20.	Statutory homelessness acceptances (per thousand households)	2.3	5.0	2.1	-	-
	21.	Self-reported well-being people with low happiness score: The percentage of respondents who answered 0-4 to the question "Overall, how happy did you feel yesterday?"	9.7	9.6	*	-	-
	22.	Utilisation of outdoor space for exercise/health reasons	17.1	11.8	16.6	-	-
	23.	Percentage of adults classified as physically inactive	27.7	27.0	31.0	-	-
	24.	Domestic abuse	19.4	20.0	20.0	-	-
Work well							
	25.	Percentage of 16-18 year olds not in education, employment or training (NEET)	4.7	3.4	1.5	-	-
	26.	Percentage of working days lost due to sickness absence	1.6	1.3	0.6	-	-
	27.	Gap in employment rate between those with a learning disability and the overall employment rate (persons)	65.0	60.9	48.8	-	-
	28.	Gap in employment rate between those in contact with secondary mental health services and the overall employment rate	64.7	64.3	69.5	-	-
	29.	Earnings by residence (total (part time and full time) weekly)	427.5**	528.9	512.9	-	-
	30.	Earnings by workplace (gross weekly), all workers	430.1	574.4	370.6	-	-

Age well							
	31.	Health related quality of life for people with long term conditions	0.74	0.75	0.77	-	-
	32.	Health related quality of life for carers, aged 18 and above	0.80	0.80	0.83	-	-
	33.	Social isolation: Percentage of adults social care users who have as much social contact as they would like (according to the Adult Social Care Users Survey)	44.5	40.7	37.1	-	-
	34.	Social isolation: percentage of adults carers who have as much social contact as they would like (according to the Personal Social Services Carers survey)	41.3	36.5	48.7	-	-
	35.	The percentage of households that experience fuel poverty based on the "Low income, high cost" methodology	10.4	9.8	11.3	-	-
	36.	Hip fractures in people aged 65 and over (persons)	580	530	518	-	-
	37.	Proportion of older people who were still at home 91 days after discharge from hospital	82.5	88.1	81.2	-	-