






1/9




BASEMENT PLAN





GROUND FLOOR PLAN



REMOVE EXISTING DOOR. EXISTING LINING REPAIRED; REBATES INCREASED TO 11 BY SCREWS AND STOPS TO EXIST. REBATES. NEW 21K. PR.S.C. DOOR TO BS. 499: Part 5.

access to roof

REMOVE W.C. SITE INCLUDING WASTE & SERVICE PIPING. REMOVE PARTITION & MAKE GOOD TO CEILING, WALL & FLOOR AS NECESSARY

smoke check door: 1/2 hr. 21K to g.w.p.p. 1/2 glazed

EXISTING WINDOW.

ESCAPE LOBBY & STAIRCASE

NEW TIMBER ESCAPE STAIR.

VELUX REF. GGL'S ROOF WINDOW, OPaque GLAZED, AS VENTILATION TO W.C.

NEW STUD PARTITIONS AROUND W.C. WITH 1/2" PLASTER/D + SKIN FINISH.

REMOVE EXISTING PARTITION, MAKE GOOD & REDECORATE.

2 No. REF. GGL'S VELUX ROOF WINDOWS AS VENTILATION TO EXISTING KITCHEN.

EXIST. DOOR + LINING REMOVED. OPENING BLOCKED UP - PLASTER FINISH BOTH SIDES.

NEW STUD PARTITIONS AROUND STORE WITH 1/2" PLASTER/D + SKIN FINISH

NEW STAIRCASE CONSTRUCTED IN ACCORDANCE WITH BS. 589: 1972


EXISTING WINDOW.

EXISTING OPENING: DOOR + LINING REMOVED, OPENING BLOCKED UP.

NEW BRICK/BRICKWORK TO MATCH THICKNESS OF EXIST. WALLS. 1/2" PLASTER FINISH BOTH SIDES.

SECOND FLOOR PLAN : SEE DWG. NO. 758/5.

5/8



FIRST FLOOR PLAN

D. 6-12-78 DOOR NUMBERS ADDED
 C. 5-15-78 AMENDMENTS TO COMPLY WITH LARGE SCALE DETAIL
 B. 8-78 FLOOR CONSTRUCTION SHOWN.
 REVISION A 25-4-78 GENERAL REVISIONS

COPY

This is the drawing referred to in the contract documents

W. S. P. Works Limited

URSE

9/9